




SCHUTZKLEIDUNG.

**Nitril Handschuhe
CE 2777**



**Nummer: WSNBR-01
Produzent: WhiteStar**



Nitril Handschuhe CE 2777

Artikelnummer: WSNBR-01

- EN 455 – 1: 2020
- EN 455 – 2: 2015
- EN 455 – 3: 2015
- EN ISO 374 – 1: 2016
- EN ISO 374 – 2: 2019
- EN 16523 – 1: 2015
- EN ISO 374 – 4: 2019
- EN ISO 374 – 5: 2015
- BS EN ISO 21420
- ISO 16604: 2004



Nitril Handschuhe CE 2777
Artikelnummer: WSNBR-01

WHITE STAR DEVELOPMENT GROUP LIMITED

2nd Floor, 49B Ng Ka Tsan, Kam Tin, Yuen Long, New Territories, Hong Kong S.A.R.
 Hong Kong Telephone +852 2537-2732 China Mobile +86 173 2211 9242 Facsimile +852 2810 9749
 Email: dirk@hkstar.com

NITRILE POWDER FREE EXAMINATION GLOVE SPECIFICATIONS



PRODUCT DESCRIPTION

Material	Nitrile
Surface Finishing	Finger surface textured with light polymer coating on the donning side
Color	Blue
Design Feature	Ambidextrous, beaded cuff
Shelf Life	Maximum 3 years from date of manufacture, and stored under recommended conditions

Recommended Storage Conditions: The gloves shall maintain their properties when stored in a dry condition. Direct sunlight should be avoided.

PERFORMANCE ATTRIBUTES (Sampling Plan – ISO 2859-1:1999; Single Inspection)

Characteristics	Inspection Level	Acceptable Quality Level	Reference Standard
Freedom from holes - Barrier	GI	1.5	ASTM 6151-08 EN 455-1
Visual Defect	GI	2.5	Industry Practice
		4.0	
Dimensions	S-2	4.0	ASTM D8319 EN 455-2
Physical Properties	S-2	4.0	ASTM D8319 EN 455-2
Residual Powder Content	N=5	N/A	ASTM D8124 EN 455-3

PHYSICAL PROPERTIES

Physical Feature	Size	Specification Limits	Reference Standard
Length (mm)	All Sizes	Min. 230; Max. 240	ASTM D8319 EN 455-2
Average Palm Width (mm)	XS	70±10	ASTM D8319 EN ISO 21420:2020
	M	80±10	
	L	95±10	
	XL	110±10	
	XXL	130±10	Internal/Customer Specs
Average Thickness (mm) +/-0.02	All Sizes	Middle Finger: 0.06	ASTM D8319
		Palm: 0.08 Cuff: 0.06	EN ISO 21420:2020 Internal/Customer Specs

PHYSICAL STRESS-STRAIN PROPERTIES

Physical Property	Specification Limits		Reference Standard
	Before Aging	After Aging	
Elongation at break (%)	Min. 400	Min. 300	ASTM D6319
Tensile Strength (MPa)	Min. 11	Min. 11	
Force at Break	Median 6	Median 6	EN 455-2
Residual Powder Content	N=5	≤2 mg per glove	ASTM D8124 EN 455-3

REGULATORY STANDARDS

ISO 9001	ISO 13485	ISO 10993-5
ISO 10993-10	FDA 21 CFR 177.2600	EN 1188
EN ISO 21420:2020	EN ISO 374-1:2018+A1:2018	EN 374-5:2018

Producer:

White Star Development Group
 Limited, Honkong

Produce in: China

EU REP:

EuropeCert
 Mönchengladbach

Sales Europa:

MARKENmerch GmbH & Co. KG
 Mönchengladbach

Nitril Handschuhe CE 2777

Artikelnummer: WSNBR-01

		Issued to: White Star Development Group Limited 2nd Floor, 45B Ng Ka Tsuen Kam Tin, Yuen Long New Territories Hong Kong	
Notified Body: 2777		SATRA customer number: P20308	
EU Type-Examination Certificate			
Certificate number: 2777/15456-02/E01-01			
This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation: Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.			
Product reference:	Description:		
WSNBR-01	Nitrile Examination Glove, Powder-Free		
	Colour: Blue		
Sizes:	Classification:	Level	EN ISO 374-4:2019 Degradation %
S/6, M/7, L/8, XL/9	EN ISO 374-1:2016+A1:2018 /Type C 40% Sodium Hydroxide (K)	6	-18.0
	EN ISO 374-5:2016 Protection against Bacteria and Fungi Protection against Viruses	Pass Pass	
Standards/Technical specifications applied: EN ISO 21420:2020; EN ISO 374-1:2016+A1:2018; EN ISO 374-5:2016			
Technical reports/Approval documents: SATRA: CHT0300498/2030/Issue 2, CHM0302486/2038/US/A, CHM0302486/2038/US/B, CHT0303908/2043, CHT0305558/2048			
Signed on behalf of SATRA:	<i>Daisy He</i>	Daisy He	<i>Quincey Brown</i>
Date of issue:	12/01/2021	Expiry date:	14/12/2025
Page 1 of 2			

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement. This certificate has been issued in accordance with Annex V (Module B) of the applicable legislation (see note 11).

Please note:

- Where the product is classified as category III then CE or UKCA Marking of production is reliant on current compliance with module C2 or Module D of the applicable legislation (See note 11). (Except that specifically produced to fit an individual user).
- Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
- Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
- Certification is limited to production undertaken at the sites listed in the manufacturer's technical documentation.
- Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate and an EU declaration of product conformity shall be made available in accordance with the applicable legislation (See note 11)
- The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
- Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
- This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state, or UK government.
- This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
- SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of the applicable legislation (See note 11).
- These terms and conditions shall apply to the requirements set out in Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment or to UK legislation relating to UKCA Marking as defined within the issued certificate.



KONTAKT.



MARKENMERCH

Wir lassen Ihre Marke lebendig werden

MARKENMERCH GMBH & CO.KG
HEHNER STRASSE 105
41069 MÖNCHENGLADBACH

T: +49 2166 39200 70

F: +49 2166 39200 79

E: INFO@MARKENMERCH.DE

W: MARKENMERCH.DE

©Adobe/ MARKENmerch GmbH & Co.KG
Portfolio nur für den internen Gebrauch.
Design by ©FOX Marketing + Communication

